



# CLASSIC CLAPBOARD® AND TRIM ESTIMATING GUIDE

Job Name: \_\_\_\_\_

Address: \_\_\_\_\_  
 \_\_\_\_\_

Contractor Company Name: \_\_\_\_\_

Contractor Contact: \_\_\_\_\_

Contractor Address: \_\_\_\_\_

Contractor Phone Number: \_\_\_\_\_

Retailer Company Name: \_\_\_\_\_

Retailer Rep: \_\_\_\_\_

Retailer Address: \_\_\_\_\_

Retailer Phone Number: \_\_\_\_\_

Wholesaler Name: \_\_\_\_\_

Wholesaler Rep: \_\_\_\_\_

Wholesaler Address: \_\_\_\_\_


Wholesaler Phone Number: \_\_\_\_\_

<b>JOB SUMMARY</b>				
<b>Clapboard Exposure:</b>	<b>4"</b>	<b>6"</b>	<b>8"</b>	<b>6.5" Beaded</b>
<b>Clapboard Texture:</b>	<b>Smooth</b>	<b>RoughSawn™</b>	<b>CedarGrain™</b>	
<b>Clapboard Color:</b>	_____			
<b>Trim Texture:</b>	<b>Smooth</b>	<b>RoughSawn™</b>	<b>CedarGrain™</b>	
<b>Trim Color:</b>	_____			


***Refer to NuCedar® Installation Instructions for specific installation information and techniques.***

**Step 1. Calculate the total clapboard/weatherboard surface area:**


A. Rectangular Wall Surfaces:	Height (ft)	x	Width (ft)	=	Surface Area (SF)
Wall 1:		x		=	
Wall 2:		x		=	
Wall 3:		x		=	
Wall 4:		x		=	
Wall 5:		x		=	
Wall 6:		x		=	
Wall 7:		x		=	
Wall 8:		x		=	
Wall 9:		x		=	
Wall 10:		x		=	
Wall 11:		x		=	
Wall 12:		x		=	
<b>Total Rectangular Surface Area:</b>					



B. Triangular Gable End Surfaces:	Height + 1	x	Width / 2	=	Surface Area (SF)
Gable End 1:		x		=	
Gable End 2:		x		=	
Gable End 3:		x		=	
Gable End 4:		x		=	
Gable End 5:		x		=	
Gable End 6:		x		=	
Gable End 7:		x		=	
Gable End 8:		x		=	
<b>Total Triangular Surface Area:</b>					



C. Dormer Sides (Measure 1 Side Only):	Height + 1	x	Width	=	Surface Area (SF) for Both Sides
Dormer 1:		x		=	
Dormer 2:		x		=	
Dormer 3:		x		=	
Dormer 4:		x		=	
Dormer 5:		x		=	
Dormer 6:		x		=	
Dormer 7:		x		=	
Dormer 8:		x		=	
<b>Total Dormer Surface Area:</b>					



D. Other Wall Surfaces:	Height	x	Width	=	Surface Area (SF)
Wall 1:		x		=	
Wall 2:		x		=	
Wall 3:		x		=	
Wall 4:		x		=	
<b>Total Other Wall Surface Area:</b>					

E. Openings:	Height	x	Width	=	Surface Area (SF)
Garage		x		=	
Doors & Windows (First Floor)		x		=	
Doors & Windows (Second Floor)		x		=	
Other		x		=	
<b>Total Openings:</b>					

<b>Gross Surface Area (add A, B, C, and D):</b>		Exposure (circle): 4" 6" 8" 6.5" Beaded
<b>Subtract Openings (E):</b>		Texture (circle): Smooth CedarGrain™
<b>Net Surface Area (SF):</b>		Color Code: _____

**Step 2. Calculate the LF required for outside corners:**

Pre-Made Universal Corners are used vertically as outside corners and can be used with or without Snap-In™ Inserts. Inserts are required for every LF of Universal Corner.

Two LF of Snap-In™

	LF	Texture (circle)			Color Code
5/4 x 6 Pre-Made Universal Cornerboard	_____	Smooth	RoughSawn™	CedarGrain™	_____
Optional Snap-In™ Inserts	_____	n/a			_____

**Step 3. Calculate the LF required for inside corners:**

Two pieces of Universal Trim are used vertically as inside corners and can be used with or without Snap-In™ Inserts.

	LF	Texture (circle)			Color Code
5/4 x 4 Universal Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
5/4 x 6 Universal Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
5/4 x 8 Universal Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
5/4 x 10 Universal Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
Optional Snap-In™ Inserts	_____	n/a			_____

**Step 4. Calculate the LF required for rakes:**

Universal Trim can be used diagonally as rakes.

	LF	Texture (circle)			Color Code
5/4 x 4 Universal Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
5/4 x 6 Universal Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
5/4 x 8 Universal Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
5/4 x 10 Universal Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____

**Step 5. Calculate the LF required for window and door trim:**

Universal Trim is used vertically as side casings and can be used with or without Snap-In™ Inserts. Header Trim has built-in flashing and can be used at the top and bottom of windows. Sill nosing can also be used at the bottom of windows.

Side Casings:	LF	Texture (circle)			Color Code
5/4 x 4 Universal Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
5/4 x 6 Universal Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
5/4 x 8 Universal Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
5/4 x 10 Universal Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
Optional Snap-In™ Inserts	_____	n/a			_____
Head Casing:	LF	Texture (circle)			Color Code
5/4 x 4 Header Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
5/4 x 6 Header Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
Sill Nosing & Trim:	LF	Texture (circle)			Color Code
Transom Sill Nosing: 1-5/8" x 1-1/2"	_____	n/a			_____
Cape Sill Nosing: 1-3/4" x 2"	_____	n/a			_____
Historic Sill Nosing: 1-3/4" x 2-1/2"	_____	n/a			_____
5/4 x 4 Header Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____
5/4 x 6 Header Trim	_____	Smooth	RoughSawn™	CedarGrain™	_____

**Notes:**

**Step 6. Calculate the LF required for standard trim and mouldings:**

Standard Trim can be used as an accessory (e.g. fascia, rake, soffit, frieze, etc.). Never butt clapboard to Standard Trim.

	Fascia	Freize	Water Table	Rakes	Soffit	Porch Ceiling	Other	Total		
Description	LF	LF	LF	LF	LF	LF	LF	LF	Texture (circle)	Color Code
Trims										
1 x 4 Standard Trim									Smooth RoughSawn™ CedarGrain™	
1 x 6 Standard Trim									Smooth RoughSawn™ CedarGrain™	
1 x 8 Standard Trim									Smooth RoughSawn™ CedarGrain™	
1 x 10 Standard Trim									Smooth RoughSawn™ CedarGrain™	
1 x 12 Standard Trim									Smooth RoughSawn™ CedarGrain™	
5/4 x 4 Standard Trim									Smooth RoughSawn™ CedarGrain™	
5/4 x 6 Standard Trim									Smooth RoughSawn™ CedarGrain™	
5/4 x 8 Standard Trim									Smooth RoughSawn™ CedarGrain™	
5/4 x 10 Standard Trim									Smooth RoughSawn™ CedarGrain™	
5/4 x 12 Standard Trim									Smooth RoughSawn™ CedarGrain™	
Notes:										
Mouldings										
Back Band Casing: 1-3/16" x 4-1/2"									n/a	
Back Band: 1-11/32" x 1-13/32"									n/a	
Base Cap: 11/16" x 1-1/8"									n/a	
Beadboard (Rev. T&G): 1/2" x 5"									n/a	
Bed Mould: 9/16" x 1-5/8"									n/a	
Bed Mould: 11/16" x 1-3/4"									n/a	
Brick: 1-1/4" x 2"									n/a	
Brick, J Channel: 1-1/4" x 2"									n/a	
Crown: 9/16" x 2-3/4"									n/a	
Crown: 11/16" x 3-5/8"									n/a	
Crown: 11/16" x 4-5/8"									n/a	
Crown: 9/16" x 5-1/2"									n/a	
Drip Cap: 11/16" x 1-5/8"									n/a	
Drip Cap: 11/16" x 2"									n/a	
Quarter Round: 3/4" x 3/4"									n/a	
Rake Mould: 1-1/2" x 2"									n/a	
Scotia: 3/4" x 3/4"									n/a	
Shingle Band: 11/16" x 1-5/8"									n/a	
Transom Sill Nosing: 1-5/8" x 1-1/2"									n/a	
Cape Sill Nosing: 1-3/4" x 2"									n/a	
Historic Sill Nosing: 1-3/4" x 2-1/2"									n/a	
Wainscot Cap: 3/4" x 1-3/4"									n/a	
Notes:										

**Step 7. Calculate other accessories:**

Starter Strip \_\_\_\_\_ lineal feet  
 Warranty & Care Kit\* \_\_\_\_\_ pieces  
 Universal Bonding Plates \_\_\_\_\_ pieces  
 Edge Coater\*\* \_\_\_\_\_ pieces

\* One Warranty & Care Kit provided free of charge with every 16 squares of Classic Clapboard purchased. Includes 100 Universal Bonding Plates, 4 oz. Edge Coater\*\*, 16 oz. can PVC Cement.

\*\* Edge Coaters not available for custom colors; however, matching touch-up paint can be purchased from a local Sherwin-Williams retail store (recommended: Duration® or SuperPaint®, exterior latex, satin finish).

When completed, bring a copy of this Estimating Guide to your local retailer to place the order.